



HIGH SPEED MACRO PUNCHING SOLUTIONS

By macroperforation we are able to give to thermoplastic films the optimal properties for the packaging of products for both food and industrial use.

MOD.SM-OV - SM-OV2 SOUNDPROOFED

It's the perfect solution for high number of holes and high frequency. It can be installed on slitters, printing machines and extruders. It's equipped with idle rollers for material passage; the opening of the bridge facilitates easy thread up and die change. The double bridge allows both twice the speed or holes narrower to each other. Round, butterfly and or shaped holes can be done. Punches are easily moved in set-up. The structure is rigid, hard steel, coated and protected. MOD. SM-OV SOUNDPROOFED is equipped with an acoustic shield to reduce sensibly the noise.





Features

Max material width 3000mm

Max speed 250 meters per minute for elastic

material and 120 for rigid material

Max Frequency 4800 holes per minute with a double-

sided bridge

Diameter of the holes] from 2mm up to 50mm

Shaped holes] yes (handle, oval, earhole, etc.)

Not completed cut holes Yes

Installation on bag making machine, extruder, slitter,

printing machine and so on

Holes on register Yes

Encoder to synchronize the speed Yes

Material that could be processed PE, PP, paper, foam non-woven, coated

material and so on

Pattern linear, Zig zag and custom

Job memory Yes

Operator language Yes

Easily set up punches across Yes

User friendly software Yes

remote assistance Yes

Touch screen Yes with predisposition 4.0





